

Human S100A9/MRP14 Protein

Cat. No. SA9-HE101

Description

Source	Recombinant Human S100A9/MRP14 Protein is expressed from E.coli with His tag at the C-Terminus. It contains Thr2-Pro114.
Accession	P06702
Molecular Weight	The protein has a predicted MW of 14.3 kDa. The protein migrates to 27 kDa (dimer) & 14.3 kDa (monomer) based on Tris-Bis PAGE result.
Endotoxin	Less than 1EU per µg by the LAL method.
Purity	> 95% as determined by Tris-Bis PAGE > 95% as determined by HPLC

Formulation and Storage


Formulation	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/ml is recommended. Dissolve the lyophilized protein in distilled water.
Storage	-20 to -80°C for 12 months as supplied from date of receipt. -20 to -80°C for 3-6 months in unopened state after reconstitution. 2-8°C for 2-7 days after reconstitution. Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Background

S100A8 and S100A9 (also known as MRP8 and MRP14, respectively) are Ca²⁺ binding proteins belonging to the S100 family. They often exist in the form of heterodimer, while homodimer exists very little because of the stability. S100A8/A9 is constitutively expressed in neutrophils and monocytes as a Ca²⁺ sensor, participating in cytoskeleton rearrangement and arachidonic acid metabolism.

Assay Data


Tris-Bis PAGE



Human S100A9/MRP14 on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.

SEC-HPLC

Assay Data



The purity of Human S100A9/MRP14 is greater than 95% as determined by SEC-HPLC.