

Human SCF Protein, Ultra Low Endotoxin



Cat. No. SCF-HE001-UL


Description	
Source	Recombinant Human SCF Protein is expressed from E.coli without tag. It contains Glu26-Ala189.
Accession	P21583-1
Molecular Weight	The protein has a predicted MW of 18.45 kDa same as Bis-Tris PAGE result.
Endotoxin	Less than 0.01 EU per µg by the LAL method.
Purity	> 95% as determined by Bis-Tris PAGE

Formulation and Storage	
Formulation	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Dissolve the lyophilized protein in distilled water. Please refer to the Certificate of Analysis for detailed instructions.
Storage	-20 to -80°C for 12 months as supplied from date of receipt.-80°C for 3 months after reconstitution.Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Background	
Kit-ligand (Kitl) also known as steel factor, stem cell factor and mast cell growth factor plays a crucial role in the development and maintenance of the melanocyte lineage in adult skin. Kitl exerts permanent survival, proliferation and migration functions in Kit receptor-expressing melanocytes.	

Assay Data

Bis-Tris PAGE




Human SCF on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.

ELISA Data

Assay Data


Human SCF, No Tag ELISA

0.5µg Human SCF, No Tag Per Well



Immobilized Human SCF at 5µg/ml (100µl/well) on the plate. Dose response curve for Human CD117, hFc Tag with the EC50 of 11.55µg/ml determined by ELISA (QC Test).

Cell Based Assay



Measured in a cell proliferation assay using Mo7e cells. The ED50 for this effect is 1-8 ng/mL (QC Test).