Human SECTM1 Protein

Cat. No. SEC-HM201



Description	
Source	Recombinant Human SECTM1 Protein is expressed from HEK293 with hFc tag at the C-Terminus.
	It contains Gln29-Gly145.
Accession	AAH17716
Molecular Weight	The protein has a predicted MW of 39.4 kDa. Due to glycosylation, the protein migrates to 47-50 kDa based on Tris-Bis PAGE result.
Endotoxin	Less than 1EU per μg by the LAL method.
Purity	> 95% as determined by Tris-Bis PAGE
	> 95% as determined by HPLC
Formulation and	d Storage
	Lucybilized from 0.20 use filtered colution in DDC (nLT 4). Namedly 00/ technique in added as must atom to four


Formulation	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/ml is recommended. Dissolve the lyophilized protein in distilled water.
Storage	-20 to -80°C for 12 months as supplied from date of receipt80°C for 3-6 months after reconstitution.2-8°C for 2-7 days after reconstitution.Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Background

SECTM1 is a T/NK cell "co-stimulatory" molecule that is expressed in the peripheral blood by neutrophils and monocytes. Human monocytic cells also displayed a pronounced negative regulation of SECTM1 mRNA expression by LPS, while at the protein level SECTM1 expression was also shown to be regulated by IFN and LPS. This tight regulation of SECTM1 gene expression and rapid upregulation highlights its relevance in the innate immune response.

Assay Data

Tris-Bis PAGE



Human SECTM1 on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.


SEC-HPLC

Human SECTM1 Protein

Cat. No. SEC-HM201



Assay Data



The purity of Human SECTM1 is greater than 95% as determined by SEC-HPLC.

Human SECTM1 Protein

Cat. No. SEC-HM201




Assay Data

ELISA Data

Human SECTM1, hFc Tag ELISA

0.1μg Human CD7, His Tag Per Well



Immobilized Human CD7, His Tag at $1\mu g/ml$ (100 μ l/well) on the plate. Dose response curve for Human SECTM1, hFc Tag with the EC50 of 4.2ng/ml determined by ELISA.