

Biotinylated Human Siglec-4a/MAG Protein

Cat. No. SIG-HM44AB

Description

Source	Recombinant Biotinylated Human Siglec-4a/MAG Protein is expressed from HEK293 with His tag and Avi tag at the C-Terminus. It contains Gly20-Pro516.
Accession	P20916
Molecular Weight	The protein has a predicted MW of 57.6 kDa. Due to glycosylation, the protein migrates to 78-85 kDa based on Bis-Tris PAGE result.
Endotoxin	Less than 1EU per µg by the LAL method.
Purity	> 95% as determined by Bis-Tris PAGE > 95% as determined by HPLC

Formulation and Storage


Formulation	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/ml is recommended. Dissolve the lyophilized protein in distilled water.
Storage	-20 to -80°C for 24 months as supplied from date of receipt. -80°C for 3 months after reconstitution. Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Background

Siglec-4a, also known as Myelin-Associated Glycoprotein (MAG), is a type I transmembrane glycoprotein belonging to the Siglec family, a subgroup of the Ig superfamily. Adhesion molecule that mediates interactions between myelinating cells and neurons by binding to neuronal sialic acid-containing gangliosides and to the glycoproteins RTN4R and RTN4RL2 (By similarity).


Assay Data

Bis-Tris PAGE



Biotinylated Human Siglec-4a on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.

SEC-HPLC



The purity of Biotinylated Human Siglec-4a is greater than 95% as determined by SEC-HPLC.

Biotinylated Human Siglec-4a/MAG Protein


Cat. No. SIG-HM44AB

Assay Data

ELISA Data

Biotinylated Human Siglec-4a, His Tag ELISA

0.2µg Anti-Siglec-4a Antibody, hFc Tag Per Well



Immobilized Anti-Siglec-4a Antibody, hFc Tag at 2µg/ml (100µl/well) on the plate. Dose response curve for Biotinylated Human Siglec-4a, His Tag with the EC50 of 31.1ng/ml determined by ELISA.