Cynomolgus SOST/Sclerostin Protein, Ultra Low Endotoxin






Description	
Source	Recombinant Cynomolgus SOST/Sclerostin Protein is expressed from HEK293 with His tag at the C-Terminus.
	It contains Gln69-Tyr258.
Accession	XP_005584428.2
Molecular Weight	The protein has a predicted MW of 22.58 kDa. Due to glycosylation, the protein migrates to 30-40 kDa based on Bis-Tris PAGE result.
Endotoxin	Less than 0.01 EU per μg by the LAL method.
Purity	> 95% as determined by Bis-Tris PAGE
Formulation and Storage	
Formulation	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Dissolve the lyophilized protein in distilled water. Please refer to the Certificate of Analysis for detailed instructions.
Storage	-20 to -80°C for 12 months as supplied from date of receipt80°C for 3 months after reconstitution.Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Background	
	SOST, also known as sclerostin, is a member of the cerberus/DAN family, a group of secreted glycoproteins characterized by a cysteine-knot motif. SOST is negative regulator of bone growth that acts through inhibition of Wnt signaling and bone formation.

Assay Data

Bis-Tris PAGE




Cynomolgus SOST on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.

ELISA Data



Cynomolgus SOST, His Tag ELISA

0.1μg Cynomolgus SOST, His Tag Per Well




Immobilized Cynomolgus SOST, His Tag at 1µg/ml (100µl/well) on the plate. Dose response curve for Human LRP-6, mFc Tag with the EC50 of 16.9ng/ml determined by ELISA (QC Test).

ELISA Data

Cynomolgus SOST, His Tag ELISA

0.02µg Cynomolgus SOST, His Tag Per Well



Immobilized Cynomolgus SOST, His Tag at $0.2\mu g/ml$ (100 μ l/Well) on the plate. Dose response curve for Anti-SOST Antibody, hFc Tag with the EC50 of 10.0ng/ml determined by ELISA.