## Cynomolgus SERPINF2/A2AP Protein

Cat. No. SPF-CM101



Description	
Source	Recombinant Cynomolgus SERPINF2/A2AP Protein is expressed from HEK293 with His tag at the C-Terminus.
	It contains Met27-Lys490.
Accession	A0A2K5WNU6
Molecular Weight	The protein has a predicted MW of 52.83 kDa. Due to glycosylation, the protein migrates to 60-70 kDa based on Bis-Tris PAGE result.
Endotoxin	Less than 1EU per μg by the LAL method.
Purity	> 95% as determined by Bis-Tris PAGE
	> 95% as determined by HPLC

#### Formulation and Storage


Formulation	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 µg/ml is recommended. Dissolve the lyophilized protein in distilled water.
Storage	-20 to -80°C for 12 months as supplied from date of receipt80°C for 3 months after reconstitution.Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

### **Background**

Large-pool solvent/detergent (SD) plasma for transfusion exhibits reduced alpha 2-antiplasmin (alpha2-AP; SERPINF2) functional activity. The reason for the loss of alpha2-AP has not been described and could be due to the SD incubation itself and/or to the processing steps implemented to remove the solvent and the detergent.


#### **Assay Data**

#### **Bis-Tris PAGE**



Cynomolgus SERPINF2 on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.

#### **SEC-HPLC**



The purity of Cynomolgus SERPINF2 is greater than 95% as determined by SEC-HPLC.


## Cynomolgus SERPINF2/A2AP Protein

Cat. No. SPF-CM101

# Assay Data

#### **ELISA Data**

# **Cynomolgus SERPINF2, His Tag ELISA** 0.2μg Cynomolgus SERPINF2, His Tag Per Well





Immobilized Cynomolgus SERPINF2, His Tag at  $2\mu g/ml$  (100 $\mu l/Well$ ) on the plate. Dose response curve for Anti-SERPINF2 Antibody, hFc Tag with the EC50 of 53.5ng/ml determined by ELISA.