Cynomolgus SFRP2 Protein

Cat. No. SRP-CM102



| Description | |
|---------------------|---|
| Source | Recombinant Cynomolgus SFRP2 Protein is expressed from HEK293 with His tag at the C-Terminus. |
| | It contains Leu25-Cys295. |
| Accession | G8F2Z7 |
| Molecular Weight | The protein has a predicted MW of 32.16 kDa. Due to glycosylation, the protein migrates to 33-38 kDa based on Bis-Tris PAGE result. |
| Endotoxin | Less than 1EU per μg by the LAL method. |
| Purity | > 95% as determined by Bis-Tris PAGE |
| | > 95% as determined by HPLC |

Formulation and Storage

Formulation Supplied as 0.22µm filtered solution in PBS (pH 7.4).


Storage Valid for 12 months from date of receipt when stored at -80°C.Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Background

As biomarkers, DNA methylation is used to detect colorectal cancer (CRC) and make assessment of CRC prognosis. The published findings showed the association between the methylation of SFRP1, SFRP2, and WIF1, located in the Wnt signaling pathway, and the prognosis of CRC were not consistent. SFRP1, SFRP2, and WIF1 were frequently hypermethylated in CRC tumor tissues. It was apparent that the promoter hypermethylation of SFRP2 and co-hypermethylation of SFRP2 might be considered as independent prognostic predictors for survival advantage of postoperative CRC patients.

Assay Data

Bis-Tris PAGE




Cynomolgus SFRP2 on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.

SEC-HPLC

Cat. No. SRP-CM102



Assay Data



The purity of Cynomolgus SFRP2 is greater than 95% as determined by SEC-HPLC.