

Biotinylated Human SIRP Beta/CD172b Protein



Cat. No. SRP-HM40BB


Description	
Source	Recombinant Biotinylated Human SIRP Beta/CD172b Protein is expressed from HEK293 with His tag and Avi tag at the C-Terminus. It contains Glu30-Ala369.
Accession	O00241-1
Molecular Weight	The protein has a predicted MW of 40 kDa. Due to glycosylation, the protein migrates to 55-65 kDa based on Bis-Tris PAGE result.
Endotoxin	Less than 1 EU per µg by the LAL method.
Purity	> 95% as determined by Bis-Tris PAGE > 95% as determined by HPLC

Formulation and Storage	
Formulation	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Dissolve the lyophilized protein in distilled water. Please refer to the Certificate of Analysis for detailed instructions.
Storage	-20 to -80°C for 12 months as supplied from date of receipt.-80°C for 3 months after reconstitution.Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Background	
SIRP beta 1 is a type I transmembrane protein belonging to the SIRP family within the Ig superfamily. Members of this family are characterized by an extracellular region containing a V-set Ig domain containing a J-like sequence and two C1-set Ig domains.SIRP beta 1 is immunoglobulin-like cell surface receptor involved in the negative regulation of receptor tyrosine kinase-coupled signaling processes. Participates also in the recruitment of tyrosine kinase SYK. Triggers activation of myeloid cells when associated with TYROBP.	

Assay Data

Bis-Tris PAGE



Biotinylated Human SIRP Beta on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.


SEC-HPLC

Biotinylated Human SIRP Beta/CD172b Protein

Cat. No. SRP-HM40BB



Assay Data



The purity of Biotinylated Human SIRP Beta is greater than 95% as determined by SEC-HPLC.