Human TREM2 Protein, Ultra Low Endotoxin


Cat. No. TRM-HM102-UL

ᠺ᠕ᢏᠴ᠊᠐᠍᠋ᠶ

| Description | |
|---------------------|---|
| Source | Recombinant Human TREM2 Protein is expressed from HEK293 with His tag at the C-Terminus. |
| | It contains His19-Ser174. |
| Accession | Q9NZC2-1 |
| Molecular Weight | The protein has a predicted MW of 18.5 kDa. Due to glycosylation, the protein migrates to 28-40 kDa based on Bis-Tris PAGE result. |
| Endotoxin | Less than 0.001 EU per µg by the LAL method. |
| Purity | > 95% as determined by Bis-Tris PAGE |
| Formulation and S | Storage |
| Formulation | Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before Iyophilization. |
| Reconstitution | Dissolve the lyophilized protein in distilled water. Please refer to the Certificate of Analysis for detailed instructions. |
| Storage | -20 to -80°C for 12 months as supplied from date of receipt80°C for 3 months after reconstitution.Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles. |
| Background | |
| | TREM-2 (Triggering Receptor Expressed on Myeloid cells-2) is a 35 kDa type I transmembrane member of the TREM family and Ig superfamily. Mature human TREM-2 consists of a 156 amino acid (aa) extracellular domain (ECD) with one V-type Ig-like domain, a 21 aa transmembrane (TM) domain, and a 35 aa cytoplasmic tail. TREM-2 forms a receptor signaling complex with TYROBP which mediates signaling and cell activation following ligand binding (PubMed:10799849). Acts as a receptor for amyloid-beta protein 42, a cleavage product of the amyloid-beta precursor protein APP, and mediates its uptake and degradation by microglia. |
| | |

Assay Data


Bis-Tris PAGE



Human TREM2 on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.

ELISA Data

Human TREM2, His Tag ELISA 0.2µg Human TREM2, His Tag Per Well



Immobilized Human TREM2, His Tag at 2µg/ml (100µl/well) on the plate. Dose response curve for Anti-TREM2 Antibody, hFc Tag with the EC50 of 18.3ng/ml determined by ELISA (QC Test).