

Cynomolgus TSLP (R127A, R130S) Protein

Cat. No. TSP-CM102




Description	
Source	Recombinant Cynomolgus TSLP (R127A, R130S) Protein is expressed from HEK293 with His tag at the C-terminus. It contains Tyr29-Gln159 (R127A, R130S).
Accession	A0A7N9CAT7
Molecular Weight	The protein has a predicted MW of 16.65 kDa. Due to glycosylation, the protein migrates to 25-40 kDa based on Bis-Tris PAGE result.
Endotoxin	Less than 0.1 EU per µg by the LAL method.
Purity	> 95% as determined by Bis-Tris PAGE > 95% as determined by HPLC

Formulation and Storage	
Formulation	Lyophilized from 0.22 µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Dissolve the lyophilized protein in distilled water. Please refer to the Certificate of Analysis for detailed instructions.
Storage	-20 to -80°C for 12 months as supplied from date of receipt. -80°C for 3 months after reconstitution. Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Background	
Thymic Stromal Lymphopoietin (TSLP) was originally identified as an activity from the conditioned medium of a mouse thymic stromal cell line that promoted the development of B cells. Cytokine that induces the release of T-cell-attracting chemokines from monocytes and, in particular, enhances the maturation of CD11c dendritic cells. Can induce allergic inflammation by directly activating mast cells.	

Assay Data

Bis-Tris PAGE



Cynomolgus TSLP (R127A, R130S) on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.


SEC-HPLC

Cynomolgus TSLP (R127A, R130S) Protein

Cat. No. TSP-CM102



Assay Data




The purity of Cynomolgus TSLP (R127A, R130S) is greater than 95% as determined by SEC-HPLC.

ELISA Data

Cynomolgus TSLP (R127A, R130S), His Tag ELISA


0.2µg Human TSLPR, hFc Tag Per Well



Immobilized Human TSLPR, hFc Tag at 2µg/ml(100µl/well) on the plate. Dose response curve for Cynomolgus TSLP, His Tag with the EC50 of 2.2ng/ml determined by ELISA.

Cynomolgus TSLP (R127A, R130S), His Tag ELISA


0.05µg Cynomolgus TSLP (R127A, R130S), His Tag Per Well




Immobilized Cynomolgus TSLP (R127A, R130S), His Tag at 0.5µg/ml (100µl/well) on the plate. Dose response curve for Anti-TSLP Antibody, hFc Tag with the EC50 of 3.0ng/ml determined by ELISA.

BLI Data

Assay Data



Loaded Human TSLPR, hFc Tag on ProA-Biosensor can bind Cynomolgus TSLP (R127A, R130S), His Tag with an affinity constant of 8.14 nM as determined in BLI assay .



Loaded Anti-TSLP Antibody, hFc Tag on ProA-Biosensor can bind Cynomolgus TSLP (R127A, R130S), His Tag with an affinity constant of 0.32 nM as determined in BLI assay .