Human TSLPR Protein

Cat. No. TSP-HM20R



Description	
Source	Recombinant Human TSLPR Protein is expressed from HEK293 with hFc tag at the C-Terminus.
	It contains Gly25-Lys231.
Accession	Q9HC73-1
Molecular Weight	The protein has a predicted MW of 50.8 kDa. Due to glycosylation, the protein migrates to 60-75 kDa based on Bis-Tris PAGE result.
Endotoxin	Less than 1 EU per μg by the LAL method.
Purity	> 95% as determined by Bis-Tris PAGE
	> 95% as determined by HPLC
Formulation and Storage	


Formulation	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Dissolve the lyophilized protein in distilled water. Please refer to the Certificate of Analysis for detailed instructions.
Storage	-20 to -80°C for 24 months as supplied from date of receipt80°C for 3 months after reconstitution.Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Background

Thymic stromal lymphopoietin (TSLP) is an interleukin-7 (IL-7) like cytokine, which plays an important role in the regulation of immune responses to allergens. TSLP binds to a heterodimeric receptor complex composed of the IL-7 receptor alpha chain (IL-7Ralpha) and the TSLP receptor (TSLPR, also known as CRLF2).

Assay Data

Bis-Tris PAGE




Human TSLPR on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.

SEC-HPLC

KAGTUS

Assay Data




The purity of Human TSLPR is greater than 95% as determined by SEC-HPLC.

ELISA Data

Human TSLPR, hFc Tag ELISA


0.2μg Human TSLP (R127A, R130A), His Tag Per Well



Immobilized Human TSLP (R127A, R130A), His Tag at $2\mu g/ml$ (100 $\mu l/Well$). Dose response curve for Human TSLPR, hFc Tag with the EC50 of 4.0ng/ml determined by ELISA (QC Test).

ELISA Data

Human TSLPR, hFc Tag ELISA 0.05µg Human TSLPR, hFc Tag Per Well



Log Biotinylated Anti-TSLPR Antibody, hFc Tag Conc.(μg/ml)


Immobilized Human TSLPR, hFc Tag at $0.5\mu g/ml$ (100 μ l/well) on the plate. Dose response curve for Biotinylated Anti-TSLPR Antibody, hFc Tag with the EC50 of 21.4ng/ml determined by ELISA.

Human TSLPR Protein

Cat. No. TSP-HM20R



Assay Data



Human TSLP, His Tag captured on CM5 Chip via Anti-His Antibody can bind Human TSLPR, hFc Tag with an affinity constant of 1.04 nM as determined in SPR assay (Biacore T200).