

# Cynomolgus TYRO3 Protein

Cat. No. TYR-CM103



## Description

<b>Source</b>	Recombinant Cynomolgus TYRO3 Protein is expressed from HEK293 with His tag at the C-Terminus. It contains Gly41-Ser427.
<b>Accession</b>	A0A2K5WCY8
<b>Molecular Weight</b>	The protein has a predicted MW of 42.47 kDa. Due to glycosylation, the protein migrates to 50-70 kDa based on Bis-Tris PAGE result.
<b>Endotoxin</b>	Less than 1EU per µg by the LAL method.
<b>Purity</b>	> 95% as determined by Bis-Tris PAGE > 95% as determined by SEC-HPLC

## Formulation and Storage


<b>Formulation</b>	Supplied as 0.22µm filtered solution in PBS (pH 7.4).
<b>Storage</b>	Valid for 12 months from date of receipt when stored at -80°C. Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

## Background

The TAM receptors (Tyro3, Axl and MerTK) are promising therapeutic targets on tumor-associated macrophages. The TAM receptors are a family of receptor tyrosine kinases with shared ligands Gas6 and Protein S that skew macrophage polarization towards a pro-tumor M2-like phenotype. In macrophages, the TAM receptors also promote apoptotic cell clearance, a tumor-promoting process called efferocytosis. The TAM receptors bind the "eat-me" signal phosphatidylserine on apoptotic cell membranes using Gas6 and Protein S as bridging ligands.

## Assay Data


### Bis-Tris PAGE



Cynomolgus TYRO3 on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.

### SEC-HPLC

Assay Data



The purity of Cynomolgus TYRO3 is greater than 95% as determined by SEC-HPLC.