

Human VEGF R2/KDR Protein

Cat. No. VGF-HM1R2

KACUS

Description

Source	Recombinant Human VEGF R2/KDR Protein is expressed from HEK293 with His tag at the C-terminus.
	It contains Ala20-Glu764.
Accession	P35968-1
Molecular Weight	The protein has a predicted MW of 84.88 kDa. Due to glycosylation, the protein migrates to 120-160 kDa based on Bis-Tris PAGE result.
Endotoxin	Less than 0.1 EU per μ g by the LAL method.
Purity	> 95% as determined by Bis-Tris PAGE > 95% as determined by HPLC

Formulation and Storage


Formulation	Supplied as 0.22 μ m filtered solution in PBS (pH 7.4).
Storage	Valid for 12 months from date of receipt when stored at -80°C. Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.

Background

The vascular endothelial growth factor receptor-2 (VEGFR-2/KDR/flk-1) functions as the primary mediator of vascular endothelial growth factor activation in endothelial cells. Regulation of VEGFR-2 expression appears critical in mitogenesis, differentiation, and angiogenesis. Transcriptional regulation of the VEGFR-2 is complex and may involve multiple putative upstream regulatory elements including E boxes.


Assay Data

Bis-Tris PAGE



Human VEGF R2 on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.

SEC-HPLC




The purity of Human VEGF R2 is greater than 95% as determined by SEC-HPLC.

Assay Data

ELISA Data

Human VEGF R2, His Tag ELISA

0.5μg Human VEGF165, No Tag Per Well




Immobilized Human VEGF165, No Tag (Cat. VEG-HM065) at 5μg/ml (100μl/well) on the plate. Dose response curve for Human VEGF R2, HisTag with the EC50 of 0.35μg/ml determined by ELISA.

ELISA Data

Human VEGF R2, His Tag ELISA

0.1μg Human VEGF R2, His Tag Per Well



Immobilized Human VEGF R2, His Tag at 1μg/ml (100μl/well) on the plate. Dose response curve for Anti-VEGF R2 Antibody, hFc Tag with the EC50 of 6.0ng/ml determined by ELISA.