SARS-CoV-2 Spike S1 (Lambda C.37) Protein


LCS-VM1S1

ϗͶͼͻ·Ͷϩ

Description	
Source	Recombinant SARS-CoV-2 Spike S1 (Lambda C.37) Protein is expressed from HEK293 with His tag at the C- Terminus.
	It contains GIn14-Arg683(G75V, T76I, R246N, 247-253 del, L452Q, F490S, D614G).
Accession	QHD43416.1
Molecular Weight	The protein has a predicted MW of 75.28 kDa. Due to glycosylation, the protein migrates to 100-120 kDa based on Bis-Tris PAGE result.
Endotoxin	Less than 1 EU per µg by the LAL method.
Purity	> 95% as determined by Bis-Tris PAGE
	> 95% as determined by HPLC
Formulation and Storage	
Formulation	Lyophilized from 0.22µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.
Reconstitution	Dissolve the lyophilized protein in distilled water. Please refer to the Certificate of Analysis for detailed instructions.
Storage	-20 to -80°C for 12 months as supplied from date of receipt80°C for 3 months after reconstitution.Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Background	
	The spike protein (S) of coronavirus (CoV) attaches the virus to its cellular receptor, angiotensin-converting enzyme 2 (ACE2). A defined receptor-binding domain (RBD) on S mediates this interaction.The S protein plays key parts in the induction of neutralizing-antibody and T-cell responses, as well as protective immunity.
Assay Data	

Bis-Tris PAGE

Cat. No.




SARS-CoV-2 Spike S1 (Lambda C.37) on Bis-Tris PAGE under reduced condition. The purity is greater than 95%.

SARS-CoV-2 Spike S1 (Lambda C.37) Protein

Cat. No. LCS-VM1S1


Assay Data






The purity of SARS-CoV-2 Spike S1 (Lambda C.37) is greater than 95% as determined by SEC-HPLC.

ELISA Data



 $0.2\mu g$ SARS-CoV-2 Spike S1 (Lambda C.37), His Tag Per Well



Immobilized SARS-CoV-2 Spike S1 (Lambda C.37), His Tag at 2μ g/ml (100 μ l/well) on the plate. Dose response curve for Human ACE2, hFc Tag with the EC50 of 21.8ng/ml determined by ELISA.